
How to find Android Developers with Boolean search strings

Use Boolean logic on Google to find resumes and profiles of [Android Developers](#). Our search strings examples provide a basis to build your own Boolean search commands. Modify them to recruit developers who can create powerful and elegant applications on Android.

Generic search string to find Android Developers

Build Boolean strings for Android developers according to your needs:

- -job -jobs -sample -examples, to avoid irrelevant results
- (intitle:resume OR intitle:cv), to discover candidates' online resumes or CVs

Here's an example of a generic search string that you can further modify to find resumes:

(intitle:resume OR intitle:cv) "android developer" -job -jobs -sample -examples

When running this command on Google, you'll get results that include the words "resume" or "CV" in the page title. Excluding more terms reduces false positives.

Searching for Android Developer profiles

Search for developers on specific sites, like [Stack Overflow](#), through Google by including the site: operator and terms found exclusively on member profiles. For example:

- site:github.com "android developer" "joined on"
- site:stackoverflow.com/users/ "badges" "android developer"

Add more criteria in your Boolean search string for Android developers to find profiles that better match your requirements.

When sourcing EU candidates, please refer to guidance on [using social media for recruiting and collecting candidate information](#) as per the [General Data Protection Regulation](#), or [GDPR](#).

Sample string to search for resumes of Android Developers in

various formats

(intitle:resume OR intitle:cv) (filetype:pdf OR filetype:doc OR filetype:txt) "android developer" -job -jobs -sample -templates

Examples of Boolean search strings to find resumes of Android Developers by coding experience and skills

Find Android Developers who:

Know HTML5

(intitle:resume OR intitle:cv) "android developer" HTML5 -job -jobs -sample -examples

Can code in certain programming languages

(intitle:resume OR intitle:cv) "android developer" (C++ OR C#) -job -jobs -sample -examples

Have experience in user interface design

(intitle:resume OR intitle:cv) "android developer" (UI OR UX OR "user interface") -job -jobs -sample -examples

Have a background developing apps for Android tablets

(intitle:resume OR intitle:cv) "android developer" tablet -job -jobs -sample -examples

Have worked with specific libraries

(intitle:resume OR intitle:cv) "android developer" (Dagger OR RxJava) -job -jobs -sample -examples

Are familiar with mobile application development frameworks

(intitle:resume OR intitle:cv) "android developer" (PhoneGap OR Cordova) -job -jobs -sample -examples

Have held senior positions

(intitle:resume OR intitle:cv) "android developer" (senior OR lead) -job -jobs -sample -examples

Are familiar with J2EE

(intitle:resume OR intitle:cv) "android developer" (J2EE OR "Java EE") -job -jobs -sample -examples

Are familiar with Agile frameworks

(intitle:resume OR intitle:cv) "android developer" Scrum -job -jobs -sample -examples

Examples of Boolean search strings to find Android developers by location

By state or city:

(intitle:resume OR intitle:cv) "android developer" (Massachusetts OR MA) -job -jobs -sample -examples

(intitle:resume OR intitle:cv) "android developer" Seattle (Washington OR WA) -job -jobs -sample -examples

By area code:

(intitle:resume OR intitle:cv) "android developer" "Los Angeles" (213 OR 310 OR 323 OR 424) -job -jobs -sample -examples

Find area codes [here](#).

Further reading:

[Sourcing on Google: Boolean search for recruiters](#)